

EXPERIENCE

FRIDGE FREEDOM

EXPLORE ARB'S FRIDGE FREEZER RANGE



4X4 ACCESSORIES

ARB FRIDGE FREEZERS

Experience “fridge freedom” with ARB’s wide range of fridge freezers.

Engineered in Australia to handle extreme conditions, ARB fridge freezers offer uncompromising performance with a temperature range of -18°C to $+10^{\circ}\text{C}$ giving you refrigerated or frozen food and drinks no matter where your journey takes you.

Tested extensively for off road, outback and campsite usage, ARB fridge freezers will complement any boat, car, caravan or camper trailer. Fridges are available in 35L, 36L, 44L, 47L, 60L, 69L, 78L and 96L capacities and backed by a comprehensive three-year warranty.

It’s exciting shopping for your new fridge freezer and our team at ARB are experts in the field.

Some questions to consider to help you shop for the perfect fridge: How many days do you plan to go away for? How many people do you plan to look after? What type of electrical system do you have in your vehicle, what plugs are available and how do you plan to recharge this system?

These questions are a great starting point to discuss with the ARB team so they can get you the right set-up suited to your needs.



ZERO FRIDGE FREEZER RANGE

If you are looking for a new way to keep the cans cold and your meals frozen, look no further than ARB's new ZERO Fridge Freezer! Having both fridge and freezer space at the one time on selected models means you can travel for longer periods without restocking.

Available in 36L, 44L, 60L, 69L and 96L, the ZERO Fridge Freezer can be installed in your car, camper trailer or caravan with ease thanks to the quick-release lid (with side-opening* option on larger models) as well as front and rear DC inlets.

For all your cooling and travelling needs, make sure you have the ZERO Fridge Freezer along for the trip.

**Side-opening option on 60L and above only. 36L and 44L offer front-opening lid.*



FEATURES



Recessed carry handles and tie-down points



Side-opening lid
*60L, 69L and 96L only



Digital display for each zone
*Dual-zone models only



App connectivity via Bluetooth
*Smart phone or LINX control via Bluetooth connectivity



Quick-release detachable lid



Internal LED light



Dual independently controlled cooling zones
*Dual-zone models only



Versatile removable internal basket system



Highly efficient, variable speed compressor with boost rapid cooldown



Provision for tall items/bottles



USB 5V, 3,000mA outlet



Power supply dual front and rear DC (12/24V) and front AC (100-240V) with battery protection



Emergency override button in case of problems when out in the field

36L



Single Zone

The 36L is the perfect fridge to take with you while at the beach or even for storing your grocery shopping.

44L



Single Zone

The 44L is an ideal fridge to take on picnics, fishing trips or quick weekend getaways.

60L



Single Zone

The 60L fridge is great for long weekends away or road trips.

69L



Dual Zone

The 69L is a perfect dual-zone fridge for off road trips or family touring.

96L



Dual Zone

With a huge capacity, the 96L dual-zone fridge is the ideal fridge to ensure you have sufficient space to keep you well stocked for a long period.



ZERO FRIDGE FREEZER RANGE SPECIFICATIONS

36L

Capacity	36L/38QT Single Zone (47 × 375ml cans)
External Dimensions	436mm (h) x 423mm (w) x 675mm (d)
Internal Dimensions	Upper Compartment: 143mm (h) x 292mm (w) x 482mm (d) Lower Compartment: 180mm (h) x 292mm (w) x 316mm (d)
Weight	21.6kg (47.5lb)
Cooling Capacity	-22°C to +10°C (-8°F to +50°F)
Power	Built-in 12/24V DC / 100-240V AC Integrated battery protection system
Current Draw	0.8 ah/hour average energy consumption at 5°C cabinet temperature, 32°C ambient temperature, test duration of 24 hours and supply voltage of 12V DC
Transmitting Module	Wireless monitoring & control via compatible Bluetooth-enabled devices
Warranty	Three-year warranty from date of purchase

44L

Capacity	44L/47QT Single Zone (65 × 375ml cans)
External Dimensions	496mm (h) x 423mm (w) x 675mm (d)
Internal Dimensions	Upper Compartment: 203mm (h) x 292mm (w) x 482mm (d) Lower Compartment: 180mm (h) x 292mm (w) x 316mm (d)
Weight	22.2kg (48.9lb)
Cooling Capacity	-22°C to +10°C (-8°F to +50°F)
Power	Built-in 12/24V DC / 100-240V AC Integrated battery protection system
Current Draw	0.8 ah/hour average energy consumption tested at 5°C cabinet temperature, 32°C ambient temperature, test duration of 24 hours and supply voltage of 12V DC
Transmitting Module	Wireless monitoring & control via compatible Bluetooth-enabled devices
Warranty	Three-year warranty from date of purchase

ZERO FRIDGE FREEZER RANGE SPECIFICATIONS

709

Capacity	60L/63QT Single Zone (96 × 375ml cans)
External Dimensions	496mm (h) x 469mm (w) x 755mm (d)
Internal Dimensions	Upper Compartment: 197mm (h) x 326mm (w) x 580mm (d) Lower Compartment: 180mm (h) x 326mm (w) x 402mm (d)
Weight	24.6kg (54.1lb)
Cooling Capacity	-22°C to +10°C (-8°F to +50°F)
Power	Built-in 12/24V DC / 100-240V AC Integrated battery protection system
Current Draw	0.8 ah/hour average energy consumption tested at 5°C cabinet temperature, 32°C ambient temperature, test duration of 24 hours and supply voltage of 12V DC
Transmitting Module	Wireless monitoring & control via compatible Bluetooth-enabled devices
Warranty	Three-year warranty from date of purchase

769

Capacity	69L/73QT Dual Zone (87 × 375ml cans with divider, 108 without) Individual compartment volume: 24L/45L
External Dimensions	564mm (h) x 469mm (w) x 755mm (d)
Internal Dimensions	Front Zone - Upper Compartment: 264mm (h) x 326mm (w) x 380mm (d) Front Zone - Lower Compartment: 180mm (h) x 326mm (w) x 202mm (d) Rear Zone: 444mm (h) x 326mm (w) x 170mm (d)
Weight	31kg (68.3lb)
Cooling Capacity	-22°C to +10°C (-8°F to +50°F)
Power	Built-in 12/24V DC / 100-240V AC Integrated battery protection system
Current Draw	2.9 ah/hour average energy consumption tested at -15°C cabinet temperature zone 1 & 3°C cabinet temperature zone 2, 32°C ambient temperature, test duration of 24 hours and supply voltage of 12V DC
Transmitting Module	Wireless monitoring & control via compatible Bluetooth-enabled devices
Warranty	Three-year warranty from date of purchase

08

796

Capacity	96L/101QT Dual Zone (144 × 375ml cans) Individual compartment volume: 41L/55L
External Dimensions	509mm (h) x 548mm (w) x 935mm (d)
Internal Dimensions	Front Zone - Upper Compartment: 209mm (h) x 403mm (w) x 345mm (d) Front Zone - Lower Compartment: 180mm (h) x 403mm (w) x 176mm (d) Rear Zone: 389mm (h) x 403mm (w) x 354mm (d)
Weight	36.6kg (80.7lb)
Cooling Capacity	-22°C to +10°C (-8°F to +50°F)
Power	Built-in 12/24V DC / 100-240V AC Integrated battery protection system
Current Draw	3.1 ah/hour average energy consumption tested at -15°C cabinet temperature zone 1 & 3°C cabinet temperature zone 2, 32°C ambient temperature, test duration of 24 hours and supply voltage of 12V DC
Transmitting Module	Wireless monitoring & control via compatible Bluetooth-enabled devices
Warranty	Three-year warranty from date of purchase



09

ARB ELEMENTS WEATHERPROOF FRIDGE FREEZER

Packed with the features all ARB fridge freezers are renowned for, and re-engineered to survive naked out in the elements, the ARB Elements Weatherproof Fridge Freezer also comes with unique features that not only protect and secure, but also make accessing your food and drinks even easier.



ELEMENTS APP CONTROL

The ARB Fridge App Connect Module allows you to monitor your ARB Elements Weatherproof Fridge Freezer from your smart phone. It is compatible with both Android, iOS and the ARB LINX system. The Connect Module transmits data over Bluetooth. You can check the temperature and change settings on your fridge freezer without having to get out of your seat.

STAINLESS STEEL EXTERIOR

With a body and hinges chiselled from stainless steel, anodised aluminium latches, UV-resistant trim and clever protected placement of electrical connections, the ARB Elements Weatherproof Fridge Freezer is capable of withstanding anything Mother Nature can throw at it.

GAS STRUT

Innovative strut holds the lid open in any position (from closed to upright), making it easier to grab the drinks on your next shout.

TOUCHPAD CONTROLS

Temperature control, backlit and dimmable, low voltage cut-out and security all at the touch of a button. The user-friendly touchpad allows full functionality with the lid open and securely prevents unwanted

adjustment or access with its unique user-selected locking code.

SECURITY

A unique magnetic lock, activated by the touchpad control panel, prevents unauthorised access or tampering with temperature settings. For additional security, a padlock recess is built into the exterior and an optional bolt-down mounting kit is available including tamperproof screws.



ELEMENTS FRIDGE FREEZER SPECIFICATIONS

Capacity	60L
External Dimensions	440mm (h) x 490mm (w) x 820mm (d)
Internal Dimensions	Fruit & Dairy Compartment: 133mm (h) x 355mm (w) x 156mm (d) Main Compartment: 332mm (h) x 355mm (w) x 477mm (d)
Weight	31.8kg (70.1lb)
Cooling Capacity	-18°C to +10°C (-4°F to +50°F)
Power	Built-in 12/24V DC / 100-240V AC power Integrated battery protection system
Current Draw	0.9Ah per hour average energy consumption tested at 3°C cabinet temperature, 30°C ambient temperature, test duration of 24 hours and supply voltage of 12V DC
Warranty	Three-year warranty from date of purchase

CLASSIC SERIES II FRIDGE FREEZER RANGE

The ARB Classic Series II fridge is a lightweight, efficient and reliable model that has proven itself time after time as a reliable 12-volt portable fridge freezer.

Keeping your food fresh and your drinks cold no matter where you are, the Classic Series II range of fridge freezers includes an advanced electronic control system now with complete mobile control via the ARB Fridge Freezer app. Additional new features include a dimmable backlit touchpad for easy night-time operation, removable lid and a 12-volt power input readout for simple voltage monitoring on the display.

TOUGH STEEL OUTER CASING

Powder-coated, robust zinc steel cabinet sides designed to withstand extreme off road conditions.

CONTROL PANEL

Backlit, voltage readout, dimmable LED temperature display/control panel – buttons illuminate upon touch for simple night-time viewing and operation.

REVERSIBLE BASKET WITH DIVIDER

Multiple storage options by separating fridge contents or alternatively allowing longer items to be positioned along the length of the cabinet.

DAIRY COMPARTMENT

Optimised internal capacity includes separate compartment for fruit and dairy products.

INTERNAL LED LIGHT

Rear-facing internal cabinet LED light with magnetic switch.



THE RANGE



35L CLASSIC SII FRIDGE FREEZER

Great for short trips or as a second fridge, the 35L suits many compact SUVs due to its low height and small footprint.



47L CLASSIC SII FRIDGE FREEZER

Suitable for many medium to large SUVs, wagons and utes, the class-leading 47L is your perfect travelling companion.



60L CLASSIC SII FRIDGE FREEZER

Perfect for family trips or off road touring, the 60L features a low profile to suit roller drawer systems, utes, larger 4WDs, boats and camper trailers.



78L CLASSIC SII FRIDGE FREEZER

With a huge capacity, the 78L provides sufficient space to keep a touring family well stocked with cold food and drinks during extended off road adventures.

CLASSIC SII FRIDGE FREEZER RANGE SPECIFICATIONS

35L

Capacity	35L (50 × 375ml cans)
External Dimensions	428mm (h) x 380mm (w) x 705mm (d)
Internal Dimensions	Fruit & Dairy Compartment: 126mm (h) x 285mm (w) x 151mm (d) Main Compartment: 321mm (h) x 285mm (w) x 337mm (d)
Weight	20.7kg (45.6lb)
Cooling Capacity	-18°C to +10°C (0°F to +50°F)
Power	Built-in 12/24V DC / 100-240V AC power Integrated battery protection system
Current Draw	0.85 ah/hour average energy consumption tested at 3°C cabinet temperature, 26°C-31°C ambient temperature range, test duration of 66 hours and supply voltage of 12V DC
Transmitting Module	Wireless monitoring & control via compatible Bluetooth-enabled devices
Warranty	Three-year warranty from date of purchase

60L

Capacity	60L (90 × 375ml cans)
External Dimensions	428mm (h) x 450mm (w) x 845mm (d)
Internal Dimensions	Fruit & Dairy Compartment: 126mm (h) x 355mm (w) x 151mm (d) Main Compartment: 321mm (h) x 355mm (w) x 437mm (d)
Weight	24.5kg (54lb)
Cooling Capacity	-18°C to +10°C (0°F to +50°F)
Power	Built-in 12/24V DC / 100-240V AC power Integrated battery protection system
Current Draw	0.89 ah/hour average energy consumption tested at 3°C cabinet temperature, 26°C-31°C ambient temperature range, test duration of 66 hours and supply voltage of 12V DC
Transmitting Module	Wireless monitoring & control via compatible Bluetooth-enabled devices
Warranty	Three-year warranty from date of purchase

47L

Capacity	47L (72 × 375ml cans)
External Dimensions	508mm (h) x 380mm (w) x 705mm (d)
Internal Dimensions	Fruit & Dairy Compartment: 206mm (h) x 285mm (w) x 151mm (d) Main Compartment: 401mm (h) x 285mm (w) x 337mm (d)
Weight	22.5kg (49.6lb)
Cooling Capacity	-18°C to +10°C (0°F to +50°F)
Power	Built-in 12/24V DC / 100-240V AC power Integrated battery protection system
Current Draw	0.87 ah/hour average energy consumption tested at 3°C cabinet temperature, 26°C-31°C ambient temperature range, test duration of 66 hours and supply voltage of 12V DC
Transmitting Module	Wireless monitoring & control via compatible Bluetooth-enabled devices
Warranty	Three-year warranty from date of purchase

78L

Capacity	78L (120 × 375ml cans)
External Dimensions	508mm (h) x 450mm (w) x 845mm (d)
Internal Dimensions	Fruit & Dairy Compartment: 206mm (h) x 355mm (w) x 151mm (d) Main Compartment: 401mm (h) x 355mm (w) x 477mm (d)
Weight	27.1kg (59.7lb)
Cooling Capacity	-18°C to +10°C (0°F to +50°F)
Power	Built-in 12/24V DC / 100-240V AC power Integrated battery protection system
Current Draw	1.07 amps/hour average energy consumption tested at 3°C cabinet temperature, 26°C-31°C ambient temperature range, test duration of 66 hours and supply voltage of 12V DC
Transmitting Module	Wireless monitoring & control via compatible Bluetooth-enabled devices
Warranty	Three-year warranty from date of purchase

FRIDGE ACCESSORIES



TIE-DOWNS

ARB's Tie-Down System is ideal for ensuring your fridge is secured at all times during on road and off road travel. ARB's tie-downs suit fitment onto ARB's fridge slides, making this accessory a smart and functional addition to your 4WD. Available for all ARB fridge freezers.



FRIDGE SLIDE

With a flat mounting base for secure fitment and multi-position latch, a fridge slide will ensure easy access to your car fridge at all times. Sealed roller bearings prevent dust ingress and incorporate a lock-in, lock-out mechanism to ensure the slide stays in position no matter what angle your vehicle is on.

Finished in a zinc-plated and black epoxy e-coat for superior corrosion resistance.



FULL EXTENSION FRIDGE SLIDE

The Full Extension Fridge Slide offers 100% extension capability, providing additional storage behind the 35L or 47L ARB fridge freezers. This additional space is ideal for storing equipment or a sealed battery.

The slide is designed to carry 120 kilograms of load (80 kilograms on the front tray and 40 kilograms on the rear tray). A drain hole cut-out allows owners to extend the slide away from the vehicle and easily drain the fridge freezer. Bearing slides feature four-way adjustable anti-vibration pads to prevent annoying rattles.

Note: Only available for 35L and 47L fridges.



ARB FRIDGE CONNECT APP

The ARB Fridge Connect app allows the user to monitor operating status and battery input voltage, set fridge display brightness and adjust the fridge temperature directly through your smart phone or LINX unit. Available for all ARB fridge freezers.

Note: Also available for the Classic SI (post-2014 models) and Elements Weatherproof Fridge Freezer. The new transmitter is sold separately and the app can be used only to display the temperature, input voltage and compressor status.

ARB Elements Weatherproof Fridge Freezers manufactured post-2020 now include two-way communication. A separate downloadable app is required for the Classic SII and Elements Weatherproof Fridge Freezer. Now includes two-way communication with the app and ARB Linx interface.

FRIDGE ACCESSORIES



TRANSIT BAGS

The ARB Transit Bag shields your fridge from dents and scratches while also providing additional insulation in extreme temperatures. Made of tough, durable material, the functional ARB Transit Bag features a handy side pocket for items such as the power cord or instruction booklet, cable retention slots to keep cables away from moving parts when on a fridge slide, as well as openings for the fridge's rubber feet, power cables and drain plug hole. Available for ARB Classic SII and ZERO Fridge Freezers.



CABLE GUIDE

With the ARB Cable Guide accessory, you'll be able to declutter, protect and complete your unique drawer set-up by providing a safe and enclosed track for your cables! Available in a one-metre length that can be shortened to accommodate your fridge size, drawer length and drawer set-up, this handy accessory can also be run under the floors or power outlets added to the side floors to give a more seamless finish.



12V & 24V WIRING ACCESSORIES

ARB stocks a wide range of 12- and 24-volt wiring accessories to suit these fridge freezers, allowing flexible placement options or simply to hard wire the fridge into the vehicle. These accessories will reduce possible voltage drop as they employ six-millimetre double-insulated auto cable. A selection of speciality threaded sockets and surface mount housings are also available and ARB can tailor a package to suit your individual requirements. Available for all ARB fridge freezers.



PORTABLE FRIDGE FREEZER POWER PACK

Take your ARB ZERO Fridge Freezer wherever your adventure takes you – even beyond your 4WD!

Keeping your portable fridge powered so your food and drinks remain cold without the need to be hooked up to your vehicle, the lightweight ARB Portable Fridge Freezer Power Pack features a 15Ah lithium battery for up to 18 hours* of runtime.

Operation is quick and easy – after conveniently attaching the pack to your fridge via high-power rubberised magnets, connect the power cable to the DC outlet, press the ON/OFF button and you're good to go!

**Test conducted on 44L ZERO Fridge Freezer. Ambient temperature 25°C, fridge set to 4°C. (Compatible with ZERO Fridge Freezers only)*

FRIDGE SLIDE RANGE



Fridge Slide ZERO suits 36L and 44L

10900047

CLOSED DIMENSIONS	EXTENDED LENGTH	TRAY DIMENSIONS
LENGTH 747mm	EXTENDED 558mm	LENGTH 731mm
WIDTH 444mm	TOTAL 1,305mm	WIDTH 404mm
HEIGHT 79mm		HEIGHT 66mm



Fridge Slide ZERO suits 60L, 69L and 73L

10900048

CLOSED DIMENSIONS	EXTENDED LENGTH	TRAY DIMENSIONS
LENGTH 946mm	EXTENDED 723mm	LENGTH 930mm
WIDTH 444mm	TOTAL 1,669mm	WIDTH 404mm
HEIGHT 79mm		HEIGHT 66mm



Fridge Roller Slide Classic SII suits 35L and 47L (80kg Rating)

10900021

CLOSED DIMENSIONS	EXTENDED LENGTH	TRAY DIMENSIONS
LENGTH 710mm	EXTENDED 528mm	LENGTH 690mm
WIDTH 460mm	TOTAL 1,238mm	WIDTH 406mm
HEIGHT 74mm		HEIGHT 47mm



Fridge Roller Slide Classic SII suits 60L and 78L (120kg Rating)

10900022

CLOSED DIMENSIONS	EXTENDED LENGTH	TRAY DIMENSIONS
LENGTH 850mm	EXTENDED 650mm	LENGTH 845mm
WIDTH 530mm	TOTAL 1,500mm	WIDTH 476mm
HEIGHT 79mm		HEIGHT 47mm



Full Extension Fridge Slide Classic SII suits 35L and 47L (120kg Rating)

10900029

CLOSED DIMENSIONS	EXTENDED LENGTH	TRAY DIMENSIONS
LENGTH 912mm	EXTENDED 700mm	LENGTH 895mm
WIDTH 460mm	TOTAL 1,610mm	WIDTH 406mm
HEIGHT 74mm		HEIGHT 47mm



Fridge Slide Elements suits 60L

10900040

CLOSED DIMENSIONS	EXTENDED LENGTH	TRAY DIMENSIONS
LENGTH 884mm	EXTENDED 688mm	LENGTH 879mm
WIDTH 579mm	TOTAL 1,573mm	WIDTH 525mm
HEIGHT 79mm		HEIGHT 47mm



4X4 ACCESSORIES

Part No. 573260